



Report no:

報告號碼:

DR-8108517 8298356 8406400

S1-8108519/8108521 8281550/8281551 8406401

S2-8406402

Date:

日期:

DR-February 17, 21, 2014 March 8, 2015 October 24, 2015 S1-March 3-4, 2014

March 14, 2014 March 9-10, 2015 March 19, 2015

November 04, 2015 S2-December 03 & 04, 2015

Prepared by:

報告者:

Ivan Cheng/Coco Lin (TL) Stanley Kuo (TM)

BSI reference: BSI 參考號:

WEST C-0047461596-00

Standard	ISO/TS 14067:2013
Visit Type	■Document Review
	■Stage1
	Stage2

Organitation: West Coast Expressway Southern Region Temporary Engineering Office, Directorate General of Highways, Ministry of Transportation and Communications. Address: 5F, No. 29, Puzi 7th Rd. Puzi City Chiayi County

組織:交通部公路總局西部濱海公路南區臨時工程處

地址:臺灣嘉義縣朴子市朴子七路29號

BSI Infrastructure Carbon Footprint Verification Report

BSI產品碳足跡查證報告

一、 Introduction引言

This report relates to the infrastructure carbon footprint verification of the New Infrastructure of the West Coast Expressway from Badunliao to Jiukuaicuo managed by West Coast Expressway Southern Region Temporary Engineering Office.

此報告爲關於公路總局西濱南臨時工程處所管理的西濱快速道路八棟寮至九塊厝新建工程的工程碳足跡查證。

The Verification was based upon the Client's the New Infrustructure of West Coast Expressway from Badunliao to Jiukuaicuo carbon footprint Management System & Inventory Report. Referenced below:

Infrastructure Carbon Footprint Report and CFP Inventory

此查證建立在 貴單位工程碳足跡管理系統/盤查報告書的基礎之上,具體內容參考下列信息: 西濱快速道路八棟寮至九塊厝新建工程碳足跡盤查報告書及產品碳足跡盤查清冊

The objective of the verification: The verification was to confirm the result and calculation process of infrastructur carbon footprint is conformity with the relative regulations.

查證目標:確認公共工程碳足跡排放量盤查計算過程及成果符合相關規定

The criteria of the verification: ISO/TS 14067:2013

查證準則: ISO/TS 14067:2013

The scope of the verification:

It includes the validation of infrastructur system boundary which involves the GHG source or sinks from the acquisition of raw material, construction of infrastructur, and operation of infrastructur in the infrastructur life cycle.

查證範圍:確認包括了此公共工程系統邊界;牽涉此公共工程生命週期之原物料開採、建造活動、原料運送及營運等階段;所納入之溫室氣體源、匯或庫及其欲納入之溫室氣體種類及欲涵蓋之期間。

Materiality threshold: 5% of the total amount of GHG emissions

實質性門檻:排放總量之5%

This report forms part of BSI's partnership approach in the Verification of your infrastructure carbon footprint Management System.

此報告爲BSI為 貴公司產品碳足跡管理系統查證的一部分。

The Verification was based on random samples and therefore nonconformities may exist which have not been identified. Due to the nature of this Verification, not all areas of the Verification have been verified.

此查證係以隨機抽樣方法進行,故某些不符合項有可能存在而未被發現。基於本次查證的性質,並非所有的範圍都被抽樣查證。

If you wish to distribute copies of this report external to the organization, then all pages must be included.

如欲提供此報告的複印件予其他機構,應保證此報告複印件頁數齊全。

二、 Document review 文件審查

2.1 Conclusion 結論

The first year progress during 3 years has been established towards CFPV Document Review and Stage 1 verification.

3年期間的第一年查證工作的進展已建立。

During the document review <u>0</u> Notices to Client (NTCs) with <u>2</u> observations (OBS) were identified.

本次文審發現共計 0 項改善事項及 2 項觀察事項。

The Initial stage1 verification of the first year is currently expected to take 6 verification man days. 第一年第一階段查證預計需要6人天數。

The second year progress during 3 years has been established towards CFPV Document Review and Stage 1 verification.

3年期間的第二年查證工作的進展已建立。

During the document review <u>0</u> Notices to Client (NTCs) with <u>0</u> observations (OBS) were identified.

本次文審發現共計 0 項改善事項及 0 項觀察事項。

The Initial stage1 verification of the first year is currently expected to take 6 verification man days. 第一年第一階段查證預計需要6人天數。

2.2 Verification team and relevant info in desk review (查證小組成員及文審相關資訊)

Date	Time	Assessor 查證 員	Area 查證內容	Clause(s) 條文
February 17, 21, 2014	09:00-16:00	Coco Lin Stanley Kuo	CFP report and ISO/TS 14067 requirement review PCR CFP inventory 產品碳足跡盤查報告 ISO/TS 14067標準符合度審查 Report preparation	ISO/TS 14067:2013 5. Principles 原則 6. Methodology for CFP quantification量化方法 7. CFP study report產品碳足跡研究報告 8. Preparation for publicly available CFP產品碳足跡公開的準備 9. CFP Communication產品碳足跡的溝通
March 8, 2015	09:00-16:00	Coco Lin Stanley Kuo	CFP report and ISO/TS 14067 requirement review PCR CFP inventory 產品碳足跡盤查報告 ISO/TS 14067標準符合度 審查 Report preparation	ISO/TS 14067:2013 5. Principles 原則 6. Methodology for CFP quantification量化方法 7. CFP study report產品碳足跡研究報告 8. Preparation for publicly available CFP產品碳足跡公開的準備 9. CFP Communication產品碳足跡的溝通
October 24, 2015	09:00-16:00	Ivan Cheng	CFP report and ISO/TS 14067 requirement review PCR CFP inventory 產品碳足跡盤查報告 ISO/TS 14067標準符合度 審查 Report preparation	ISO/TS 14067:2013 5. Principles 原則 6. Methodology for CFP quantification量化方法 7. CFP study report產品碳足跡研究報告 8. Preparation for publicly available CFP產品碳足跡公開的準備 9. CFP Communication產品碳足跡的溝通

2.3 Strategic Review Commentary

Risk Assessment of verification(風險評估):

The risk assessment is broken down into the separate components of inherent, controls and detection risk, and these can be analyzed to guide the verification approach (i.e. substantive

(data information systems) and controls based procedures (management control environment).

The raw material listed above should be used as a guide for verification procedures necessary to bring verification risk to an acceptable level. (i.e. the extent to which the verification is based on testing of controls or the substantive testing of data). If verification procedures do not reduce verification risk to an acceptable level, then either more verification procedures are necessary or the participant's emission data cannot be verified, and an opinion should be issued to reflect this.

The details of risk assessment are shown as below:

		風險ris	sk
實質性議題 material issues	現況 / 管制措施 (situation/control actions)	現況/措施 Yes/No/ Incomplete	等級 Level
	· 公共工程是否存在適切之產品類別規則(PCR)?Is there PCR available or drafted?	Υ	
系統界限 System boundary	• 工程製程地圖/產品邊界完整清楚? Is the product functional unit and system boundary clearly defined?	Y	М
	• 工程功能單位是否已清楚定義? Is the process map/system boundary clearly defined?	Y	
政策及相關管理程 序 GHG policy and other management procedure	• 是否清楚定義其政策及相關碳足跡管理程序? Is there defined CFP management procedure and policy?	I	М
供應商資訊管理 Information management of suppliers	• 原物料是否管理完整?可追溯原始單據? Is the collection of activity data reliable? Is there evidence for proofing?	I	Н
原物料資訊管理 The information management of raw materials	• 原物料是否管理完整?可追溯原始單據? Is the management of raw material complete? Is the original receipt or bill traceable?	I	
	• 運輸分配假設是否為合理?可否提供相關的佐證證據? Is the allocation supposition for transportation reasonable or clearly defined and traceable for original receipt or record?	Y	M
	 能源是否管理完整? 相關的能源使用分配是否清楚且都可追溯原始單據? Is the energy completely managed? Is the allocation for energy use clearly defined and traceable for original receipt or bill? 	Y	
建造資訊管理 The information management of	• 運輸分配假設是否為合理? 可否提供相關的佐證證據? Is the allocation supposition for transportation reasonable or clearly defined and traceable for original receipt, record or bill?	Y	М
own operation	工程施作過程中廢棄物是否管理完整?廢棄物處理分配 假設是否為合理? 可否提供相關的佐證證據? Is the waste of own process completely managed? Is the allocation for waste treatment clearly defined and traceable for original receipt, record or bill?	Y	
產品最終處置資訊 管理The final disposal information management of product	• 產品最終丟棄方法為已知且被記錄的?(如廢棄物丟棄 至掩埋廠,焚化廠及廢水廠等)Is the final disposal method of product known and recorded? (e.g. waste disposed of through landfill, incineration, burial, wastewater)	NA	

en 66.11.1% ar		風險ris	sk
實質性議題 material issues	現況 / 管制措施 (situation/control actions)	現況/措施 Yes/No/ Incomplete	等級 Level
	• 最終丟棄分配假設是否為清楚? 可否提供相關的佐證證據?Is the allocation for final disposal clearly defined and traceable for original receipt, record or bill?	NA	
나 四마 여 나 하 / ~ ~	 與PCR界定之系統邊界一致嗎? Is it conformity with the system boundary definition of PCR? 	Y	
使用階段情境假設 The use phase scenario supposition	• 產品使用階段的評估是記錄且保存的嗎? Is the product use phase assessment recorded and retained?	N	М
supposition	• 對於使用階段所採用的GHG計算是否合理? Is it reasonable for usage GHG emission calculation?	Υ	
	• 是否引用資料庫之係數? Is there any introduction of factors from database?	Y	
計算方法與引用係	• 是否計算方法是一致且透明的? Is the calculation method consistent and transparent?	Y	
數Calculation method and	 排放量是完整且準確的嗎? Are the emissions complete and accurate? 	I	М
conversion factors	• 資料庫的係數合理反映CFP的狀態嗎? Does the factor from database reasonably reflect the status of CFP?	I	
量測及儀校管理 The management	• 儀表數據之量測頻率是否合理? Is the period for measuring instrument reasonable?	Y	
for equipments of measurement and calibration	 各量測設備的校正方式與頻率皆正常? Are the frequency and method for calibration of measuring instrument normal? 	Y	L

Result of infrastructure LCA assertion review (產品碳足跡報告書審查):

The following information will be updated as necessary as information is evaluated during the review, risk verification and planning stages.

The information upon which this review is based has been derived from submitted documentation as following:

Completed PVQ (pre-verification questionnaire)

Source list and relative calculation records

Document - 2013工程碳足跡盤查清册

WH77-A/B/C標2014工程碳足跡盤查清冊

Standard – ISO/TS 14067:2013 查證準則:ISO/TS 14067:2013

Project description: 改善工程介紹

1. Project introduction: 改善工程介紹



西濱快速公路八棟寮至九塊厝段主線新建工程:西濱快速公路縣道176至縣道173段,長約10.4公里(含台17及縣道173路口改善),路寬22.8公尺。

2. Functional unit: 功能單位

The appropriate functional unit is driven by how the infrastructur is typically consumed. The functional unit of infrastructure is defined as the New Infrustructure of West Coast Expressway from Badunliao to Jiukuaicuo.

3. Content of material and chemical substances: 原料組成
The main materials of infrastructure are shown as reinforced and concrete.


System boundary:系統邊界

1. System boundary: 產品系統界限

The system boundary for functional unit is cradle to grave, it includes life cycle stages carbon footprint such as raw material acquisition (including transportation), construction of infrastructure and operation of infrastructur phases.

系統界限為搖籃到墳墓,即包括了鑑別所有生命週期階段碳足跡如原料取得、工程建造及營運 等階段。

2. Process map



- 3. Sources of GHG emission related to this infrasturctur: 相關排放源 All installations relate to the infrasturctur are covered in the verification, and the main emissions are from:
- Energy use (including energy sources, such as electricity)
- Combustion processes
- Chemical reactions
- Refrigerant loss and other fugitive gases
- Operations
- Transportation of raw material
- Land use change, not applicable for this infrastructure
- Livestock and other agricultural processes, not applicable for this infrastructure
- waste
- 4. Unit of analysis: 分析單元

- 6 -

Where a material is commonly available on a variable unit size basis, the calculation of GHG emissions shall be proportional to the unit size (e.g. per kilogram or per liter of goods sold, or per month or year of a service provided) 此工程碳足跡分析依此每一功能單位為分析單元

5. Material contribution and threshold: 實質貢獻與門閥

All sources of emissions anticipated to make a material contribution to the life cycle GHG emissions of the functional. At least 95% of the anticipated life cycle GHG emissions of the functional unit. In this assessment does not exclude any item so far.本次評估目前為止未排除任何項目。

6. The availability of supplemental requirement or PCR (Infrastructure Category Rules) Relevent PCRs are progressing.

7. Data quality

(1) The Company provided data on:

- Distances from agents or suppliers of ingredients to the Company factory,
- Quantities and types of ingredients for the manufacturing of the infrastructure,
- Quantity and type of energy consumed of finished infrastructure produced,
- Quantity and type of materials used in packaging the finished infrastructure,
- Quantity and type of waste arising from manufacture and its treatment,
- Quantity and type of energy consumed in the use phase for the infrastructure.
- Distance and loads of wasted infrastructure.

已提供相關數據如供應商運送產品至工地之運輸距離、工程組成成份之投入量與種類、能源使用量、包材原料與相關工程廢棄物資訊等。

(2)Selection of the quantification methodologies:量化方法的選擇

The organization has selected and used the combination of calculation based on infrastructure life cycle GHG activities primary data multiplied by related GHG emission factor/mass balance approach and measurement. Also, the emission factors from the LCA database software Gabi 6.0.4.6 (DB version5.56) are applied as for most secondary data sources in its CFP report.

該組織已盤查產品生命週期初級活動數據,並乘以LCA資料庫軟體與本產品有關的排放係數後之結果詳列於其工程碳足跡盤查清冊。

The factors which used in this analysis are disclosed in its CFP inventory list; please refer to the details for factor digital numbers which are disclosed in its CFP inventory list. 現階段排放係數如產品碳足跡盤查清冊。

8. Allocation Rule:

Allocation between different infrasturcturs shall be based on mass, if applicable. 如適用時,分配規則以盤查期間各有關工程之物理關係為分配基礎。

The period of the life cycle GHG emission assertion for the first year: 第一年盤查期間 As described in its CFP report as from January 31, 2012 to December 2014.

2.4 Commentary觀察事項(將於Stage 1時再進一步確認)

2012 to 2013

Ref.	Description

Ref.	Description
	Following observations raised form this document review should be
	considered as the opportunities for further improvement, and BSI will
	further check the relevant issues on site
	2013年清冊中有部分數據與平台中資料不一致,第一階段時將於現場釐清:
ODC CK1	(1) WH77-A 標竹節鋼筋、用電
OBS-SK1	(2) WH77-B 標用電
	(3) WH77-B 標平台工料編號MA-C-21-1 至 MA-C-21-5
OBS-CL02	請協助提供WH77-C標混凝土單位轉換M³→kg之係數

Please clear the findings of DR during Stage 1 verification.

請於Stage 1查證時,就文件審查發現事項進行澄清。

2014

Ref.	Description
	Following observations raised form this document review should be considered as the opportunities for further improvement, and BSI will further check the relevant issues on site
NA	

Please clear the findings of DR during Stage 1 verification.

請於Stage 1查證時,就文件審查發現事項進行澄清。

2.5 Notices to Client (NTCs) Identified(待修正事項)

2012 to 2013

Area	CARs Ref.	Description	Clause
N/A			

Please clear the findings of DR during Stage 1 verification.

請於Stage 1查證時,就文件審查發現事項進行澄清。

2014

Area	CARs Ref.	Description	Clause
N/A			

Please clear the findings of DR during Stage 1 verification.

請於Stage 1 查證時,就文件審查發現事項進行澄清。

2.6 Stage1 Visit Plan (Prepared in accordance with ISO14065: 2007)

According to this desk review result, we prepare the stage 1 verification plan as following: 根據本次文件審查結果, BSI盤查小組規劃後續查驗行程如後:

The detail plan please refer to the attachment of S1 verification plan 詳細之查證規劃請參考第一階段的查證計畫

三、 Stage 1 Initial Verification

第一階段首次(Year 2012-2013)查證

3.1 Conclusion 結論

As a result of BSI infrastructure carbon footprint verification process, the following conclusions were drawn:

- 1. The outstanding issues have been identified as NTCs table.
- 2. The commentary issues have been identified as OBS table.
- 3. No opinion statement can be issued until the stage 2 verification

No material discrepancy in the infrastructure carbon footprint calculation for the "the New Infrastructure of West Coast Expressway from Badunliao to Jiukuaicuo "were revealed.

Data quality was considered acceptable in accordance with the principles as set out in ISO/TS 14067:2013.

During the verification _0_ "notes to client (NTCs)" with _3_observation (OBS) were identified. NTCs shall be confirmed at stage 2.

本次查證共計發現 ○ 項改善事項及 3 項觀察事項。

This is subject to the submission of a satisfactory plan for investigating the identified NTCs and implementing effective corrective actions.

進行下階段查證前須提交計劃以調查不符合項,並實施有效的矯正措施。

Part of infrastructure carbon footprint inventory data and information management system for priod from 2012 to 2013 have been verified in accordance with ISO/TS 14067:2013 requirements. 被查證單位的公共工程碳足跡盤查數據與資訊管理系統已遵循行ISO/TS 14067:2013要求完成2012-2013年第一階段查證。

3.2 Verification Team 查證小組

On behalf of BSI the verification was conducted by:	The principal staff involved on behalf of
Lead Verifier: Coco Lin 林文華	the company were:
Verifier:Stanley Kuo 郭郁中	Ms. 王惠玉/Ms.張貴鳳/Mr.蕭國文/Mr.陳韋
	綸/Ms.鄭淑珍/Mr.周武雄/Mr.許佩蒨/Mr.吳
	文彰/Mr.林彦宇

3.3 Stage1 Initial Verification Plan (Prepared in accordance with ISO19011:2002/14064-3: 2006) 第一階段查證計畫

Please refer to the attachment of S1 verification plan for details, the sampling plan is according to BSI PCF pilot scheme manual:

詳細之查證規劃請參考附件第一階段查證計畫,本階段數據抽樣原則依BSI PCF 技術手冊內容進行。

Source /Verification	Process	Sampling size (min)			
Area		Н	M	L	
Suppliers	Raw Materials	75%	65%	50%	
	Energy	75%	65%	50%	

Source /Verification	Process	Sampl	Sampling size (min)		
Area		Н	M	L	
	Other emission sources	75%	65%	50%	
	Transportation	75%	65%	50%	
	Waste Treatment (include water waste)	75%	65%	50%	
	Energy	75%	65%	50%	
	Other emission sources	75%	65%	50%	
Own operation	Transportation	75%	65%	50%	
	Waste Treatment (include water waste)	75%	65%	50%	
Distribution	Transportation	75%	65%	50%	
Consumer Use	Energy/ Resources	75%	65%	50%	
Disposal	Transportation	75%	65%	50%	
Secondary data – including factor source	LCA database/Quotation documents	75%	65%	50%	

3.4 Infrastructure life cycle carbon footprint Inventory Summary 產品生命週期碳足跡盤查彙整

The PCF report is closed as NTC from DR, the revised system boundary is relation to activity, material, energy, transportation and waste.

The infrasturcture life cycle carbon footprint inventory reports states the emissions as the following, and they are required to be revised. The GHG emissions of infrasturcture will revise in accordance with result of NTC correction.

功能單位	排放量 tonne CO2-e
the New Infrastructure of West Coast Expressway from Badunliao to Jiukuaicuo	Need to confirm in April

Due to errors were found on this infrastructure life cycle GHG emissions, modifications of the above data are required and the emissions will be corrected on updated inventory report.

3.5 Summary of findings from these investigations

Verification Activities

The overall aim of verification is to review impartially and objectively the reported GHG emissions/ assertion under the agreement with the scope and reasonable assurance with the client.

The infrastructure carbon footprint assertion of the New Infrastructure of West Coast Expressway from Badunliao to Jiukuaicuo for the period from 2012 to 2013 of construction progressing has included the necessary items required in accordance with ISO/TS 14067:2013, including description of the infrastructure, inventory data, covered reporting period, infrastructure system boundary, etc. Also, additional useful information is available in the assertion, including construction progressing and quantity of emissions etc.

This quantification methodology takes into account of monitoring method and reliability of emission data as well as the precision of measurement equipment applied.

Sinotech has established a good system and plateform for data collection, therefore the data management system is good for data quality.

The findings from Document Review has been assessed in this verification, the result is as follows:

CARs Ref.	Description	Corrective Actions	Follow up
NA			

3.6 Commentary 評論

Nc Ref.	Description		
	Following observations raised form this assessment should be considered as the		
	opportunities for further improvement:		
OBS-SK1	請再釐清WH-77A標清冊中部分引用運輸係數,並請再評估係數彙整表中各規格運輸係數的合理性: 1. 43噸全拖車為0.0471 kg CO ₂ e/tkm,但運輸用係數參照表中40噸以上為0.0512 kg CO ₂ e/tkm (ME-巨蟹-挖土機01、02) 2. 35噸大貨車為0.0598 kg CO ₂ e/tkm,但運輸用係數參照表中34-40噸為0.0471 kg CO ₂ e/tkm (ME-奇鴻-打樁機、ME-巨蟹-壓路機)		
OBS-CL01	預力端錨及續接器之單位重量轉換係數待確認。		
OBS-CL02	 工程處辦公室緊急發電機與監理站分配方法及計算方法待確認。 二段辦公室機車汽油用量尚未登錄使用量。 		

3.7 Notes To Client(NTCs) in this stage 本階段不符合事項

Area	NTC Ref.	Description	Clause
區域	不符合項參考號	描述	條款
NA			

(Tab in final cell for additional rows)

3.8 Recommendations 建議

- 1. At this stage, the main recommendation is obviously to address the outstanding issues recorded in the table NTCs.
- 2. Progress has been established towards PCFV the year 2014 stage 1 in next year.
- 3. The organization plans to continue to make necessary corrective and preventive action for outstanding issue and to update source list / report in accordance with inventory before stage 2 verification.

3.9 Further comments

BSI PCFV team suggests two ways in which the organization could further manage on its infrastructure life cycle Greenhouse Gas Emissions Inventory data:

- 1. At this stage, the main recommendation is obviously to address the outstanding issues recorded in the table NTCs.
- 2. It is beneficial for the client to quantify its uncertainty of GHG inventory to meet potential intended users in the future.

第一階段第二年度(Year 2014)查證

3.1 Conclusion 結論

As a result of BSI infrastructure carbon footprint verification process, the following conclusions were drawn:

- 1. The outstanding issues have been identified as NTCs table.
- 2. The commentary issues have been identified as OBS table.
- 3. No opinion statement can be issued until the stage 2 verification

No material discrepancy in the infrastructure carbon footprint calculation for the "the New Infrastructure of West Coast Expressway from Badunliao to Jiukuaicuo "were revealed.

Data quality was considered acceptable in accordance with the principles as set out in ISO/TS 14067:2013.

During the verification <u>3</u> "notes to client (NTCs)" with <u>3</u> observation (OBS) were identified. NTCs shall be confirmed at stage 2.

本次查證共計發現 3 項改善事項及 3 項觀察事項。

This is subject to the submission of a satisfactory plan for investigating the identified NTCs and implementing effective corrective actions.

進行下階段查證前須提交計劃以調查不符合項,並實施有效的矯正措施。

Part of infrastructure carbon footprint inventory data and information management system for priod from 2012 to 2013 have been verified in accordance with ISO/TS 14067:2013 requirements. 被查證單位的公共工程碳足跡盤查數據與資訊管理系統已遵循行ISO/TS 14067:2013要求完成2014年第一階段查證。

3.2 Verification Team 查證小組

On behalf of BSI the verification was conducted by:	The principal staff involved on behalf of
Lead Verifier: Coco Lin 林文華	the company were:
Verifier:Stanley Kuo 郭郁中	Ms. 王惠玉/Ms.張貴鳳/Mr.蕭國文/Mr.陳韋
Ivan Cheng 鄭仲凱	綸/Ms.鄭淑珍/Mr.周武雄/Mr.許佩蒨/Mr.吳
	文彰/Mr.林彦宇

3.3 Stage1 Initial Verification Plan (Prepared in accordance with ISO19011:2002/14064-3: 2006) 第一階段查證計畫

Please refer to the attachment of S1 verification plan for details, the sampling plan is according to BSI PCF pilot scheme manual:

詳細之查證規劃請參考附件第一階段查證計畫,本階段數據抽樣原則依BSI PCF 技術手冊內容進行。

Source /Verification	Риссе	Sampling size (min)		
Area	Process	I	M	L
	Raw Materials	75%	65%	50%
Suppliers	Energy	75%	65%	50%
	Other emission sources	75%	65%	50%

Source /Verification	Dragon	Sampling size (min)		
Area	Process	Н	M	L
	Transportation	75%	65%	50%
	Waste Treatment (include water waste)	75%	65%	50%
	Energy	75%	65%	50%
	Other emission sources	75%	65%	50%
Own operation	Transportation	75%	65%	50%
	Waste Treatment (include water waste)	75%	65%	50%
Distribution	Transportation	75%	65%	50%
Consumer Use	Energy/ Resources	75%	65%	50%
Disposal	Transportation	75%	65%	50%
Secondary data – including factor source	LCA database/Quotation documents	75%	65%	50%

3.4 Infrastructure life cycle carbon footprint Inventory Summary 產品生命週期碳足跡盤查彙整

The PCF report is closed as NTC from DR, the revised system boundary is relation to activity, material, energy, transportation and waste.

The infrasturcture life cycle carbon footprint inventory reports states the emissions as the following, and they are required to be revised.

功能單位	排放量 tonne CO2-e
the New Infrastructure of West Coast Expressway from Badunliao	Need to confirm at the time
to Jiukuaicuo	of completion

Due to errors were found on this infrastructure life cycle GHG emissions, modifications of the above data are required and the emissions will be corrected on updated inventory report.

3.5 Summary of findings from these investigations

Verification Activities

The overall aim of verification is to review impartially and objectively the reported GHG emissions/ assertion under the agreement with the scope and reasonable assurance with the client.

The infrastructure carbon footprint assertion of the New Infrastructure of West Coast Expressway from Badunliao to Jiukuaicuo for the 2014 of construction progressing has included the necessary items required in accordance with ISO/TS 14067:2013, including description of the infrastructure, inventory data, covered reporting period, infrastructure system boundary, etc. Also, additional useful information is available in the assertion, including construction progressing and quantity of emissions etc.

This quantification methodology takes into account of monitoring method and reliability of emission data as well as the precision of measurement equipment applied.

Sinotech has established a good system and plateform for data collection, therefore the data management system is good for data quality.

The findings from Document Review has been assessed in this verification, the result is as follows:

CARs Ref.	Description	Corrective Actions	Follow up
NA			

3.6 Commentary 評論

Nc Ref.	Description
	Following observations raised form this assessment should be considered as the
	opportunities for further improvement:
OBS-CL01	鋼筋外包彎軋加工有二種方式,一為鋼筋廠直接送至加工廠,一為先送至工
OBS-CLUT	地在運送至加工廠,應預防重複登錄或漏登錄之發生。
OBS-SK01	請再提供A標化學錨筋(19mm & 36 mm) 兩種規格的單位重量轉換計算佐證資料。
OBS-IC01	請再釐清剪力鋼箱所引用排放係數數值之正確性。

3.7 Notes To Client(NTCs) in this stage 本階段不符合事項

Area	NTC Ref.	Description	Clause
區域	不符合項參考號	描述	條款
WH77-C 標	NTC-CL01	以下各項遺漏登錄或盤查數據與佐證資料不一致: 1. 遺漏登錄: (1) 石膏粉 (2) 洋釘 (3) 不織布 (4) 木板、木片 2. 盤查數據與佐證資料不一致: (1) 剪力鋼箱 (2) 鋼筋 (3) 混凝土	7.2
A標 PCF Inventory	NTC-SK01	抽樣發現103年度盤查清冊中有部分活動數據與佐證資料有不一致的情形: 1. 材料編號MA-H-05竹節鋼筋SD420W,於清冊中的活動數據與估驗計價資料及發貨單不一致。 2. 材料編號MA-H-09 PVC管涵,清冊中的活動數據與2014.12.12送貨單的數量不一致。 3. 第二工務段(安南)兩電號於計價期間103.10.01-103.11.30的用電量有誤植。	7.2
B標工程	NTC-IC01	下列原物料未納入碳足跡盤查項目, (1) 護坡工程投入之竹節鋼筋材料(SD280W)。	6.4
		(2) 護坡工程投入之聚氣乙烯止水帶。	
B標工程	NTC-IC02	下列活動數據需修正, (1) 剪力鋼箱(800T)依估驗計價表之投入數量為14組,與盤查清冊數值(10組)不一致。 (2) MA-A-焊條-頤達(永大興)依系統資料之投入數量為6,900kg,與盤查清冊數值(4,500kg)不一致。 (3) MA-A-焊條-頤達依系統資料之投入數量為1,150kg,與盤查清冊數值(600kg)不一致。	7.3

(Tab in final cell for additional rows)

The findings from Document Review has been assessed in this verification, the result is as follows:

CARs Ref.	Description	Corrective Actions	Follow up
NTC-CL01	以下各項遺漏登錄或盤查數據與 佐證資料不一致: 3. 遺漏登錄: (5) 石膏粉 (6) 洋釘 (7) 不織布 (8) 木板、木片 4. 盤查數據與佐證資料不一致: (4) 剪力鋼箱 (5) 鋼筋 (6) 混凝土	1.石片洋型 2. 103年	closed
NTC-SK0 1	抽樣發現103年度盤查清冊中有部分活動數據與佐證資料有不一致的情形: 1. 材料編號MA-H-05竹節鋼筋 SD420W,於清冊中的活動數據與估驗計價資料及發貨單不一致。 2. 材料編號MA-H-09 PVC管涵,清冊中的活動數據與 2014.12.12送貨單的數量不一致。 3. 第二工務段(安南)兩電號於計價期間 103.10.01-103.11.30的用電量有誤植。	1.經與承包商確認,MA-H-05竹節 鋼筋用量經數量變更後,102年度 計價數量由14噸減為9噸,103年 度則無計價數量。 2.清冊數據係為誤植,已修正。 3.兩電號用電量為相互誤植,已修 正。	colsed
NTC-IC01	下列原物料未納入碳足跡盤查項目, (1) 護坡工程投入之竹節鋼筋材料(SD280W)。 (2) 護坡工程投入之聚氯乙烯止水帶。	已將護坡工程之竹節鋼筋及止水帶納入清冊計算	closed

CARs Ref.	Description	Corrective Actions	Follow up
NTC-IC02	下列活動數據需修正,	剪力鋼箱、焊條使用數量經與承包	closed
	(4) 剪力鋼箱(800T)依估驗計價	商確認後,已將清冊修正完成。	
	表之投入數量為14組,與盤查		
	清册數值(10組)不一致。		
	(5) MA-A-焊條-頤達(永大興)依系		
	統資料之投入數量為6,900kg,		
	與盤查清冊數值(4,500kg)不		
	一致。		
	(6) MA-A-焊條-頤達依系統資料		
	之投入數量為1,150kg, 與盤		
	查清册數值(600kg)不一致。		

3.8 Recommendations 建議

- 4. At this stage, the main recommendation is obviously to address the outstanding issues recorded in the table NTCs.
- 5. Progress has been established towards PCFV the year 2015 stage 1 in next year.
- 6. The organization plans to continue to make necessary corrective and preventive action for outstanding issue and to update source list / report in accordance with inventory before stage 2 verification.

3.9 Further comments

BSI PCFV team suggests two ways in which the organization could further manage on its infrastructure life cycle Greenhouse Gas Emissions Inventory data:

- 3. At this stage, the main recommendation is obviously to address the outstanding issues recorded in the table NTCs.
- 4. It is beneficial for the client to quantify its uncertainty of GHG inventory to meet potential intended users in the future.

第一階段第三年度(Year 2015)查證 for WH77-A標工程

3.1 Conclusion 結論

As a result of BSI infrastructure carbon footprint verification process, the following conclusions were drawn:

- 4. The outstanding issues have been identified as NTCs table.
- 5. The commentary issues have been identified as OBS table.
- 6. No opinion statement can be issued until the stage 2 verification

No material discrepancy in the infrastructure carbon footprint calculation for the "the New Infrastructure of West Coast Expressway from Badunliao to Jiukuaicuo Section A"were revealed.

Data quality was considered acceptable in accordance with the principles as set out in ISO/TS 14067:2013.

During the verification <u>3</u> "notes to client (NTCs)" with <u>2</u> observation (OBS) were identified. NTCs shall be confirmed at stage 2.

本次查證共計發現 3 項改善事項及 2 項觀察事項。

This is subject to the submission of a satisfactory plan for investigating the identified NTCs and implementing effective corrective actions.

進行下階段查證前須提交計劃以調查不符合項,並實施有效的矯正措施。

Part of infrastructure carbon footprint inventory data and information management system for priod from 2015 have been verified in accordance with ISO/TS 14067:2013 requirements. 被查證單位的公共工程碳足跡盤查數據與資訊管理系統已遵循行ISO/TS 14067:2013要求完成2015年第一階段查證。

3.2 Verification Team 香證小組

On behalf of BSI the verification was conducted by:	The principal staff involved on behalf of
	the company were:
Verifier:Stanley Kuo 郭郁中	Mr.周武雄/Mr.許佩蒨/Mr.林彥宇
Coco Lin 林文華	

3.3 Stage1 Initial Verification Plan (Prepared in accordance with ISO19011:2002/14064-3: 2006) 第一階段查證計畫

Please refer to the attachment of S1 verification plan for details, the sampling plan is according to BSI PCF pilot scheme manual:

詳細之查證規劃請參考附件第一階段查證計畫,本階段數據抽樣原則依BSI PCF 技術手冊內容進行。

Source /Verification	Process	Sampling size (min)		
Area	FIOCESS	H	M	L
	Raw Materials	75%	65%	50%
Cuppliore	Energy	75%	65%	50%
Suppliers	Other emission sources	75%	65%	50%
	Transportation	75%	65%	50%

Source /Verification	Process	Sampling size (min)		
Area	Process	H	M	L
	Waste Treatment (include water waste)	75%	65%	50%
	Energy	75%	65%	50%
	Other emission sources	75%	65%	50%
Own operation	Transportation	75%	65%	50%
	Waste Treatment (include water waste)	75%	65%	50%
Distribution	Transportation	75%	65%	50%
Consumer Use	Energy/ Resources	75%	65%	50%
Disposal	Transportation	75%	65%	50%
Secondary data – including factor source	LCA database/Quotation documents	75%	65%	50%

3.4 Infrastructure life cycle carbon footprint Inventory Summary 產品生命週期碳足跡盤查彙整

The PCF report is closed as NTC from DR, the revised system boundary is relation to activity, material, energy, transportation and waste.

The infrasturcture life cycle carbon footprint inventory reports states the emissions as the following, and they are required to be revised.

功能單位	排放量 tonne CO2-e
the New Infrastructure of West Coast Expressway from Badunliao	Need to confirm at the time
to Jiukuaicuo	of completion

Due to errors were found on this infrastructure life cycle GHG emissions, modifications of the above data are required and the emissions will be corrected on updated inventory report.

3.5 Summary of findings from these investigations

Verification Activities

The overall aim of verification is to review impartially and objectively the reported GHG emissions/ assertion under the agreement with the scope and reasonable assurance with the client.

The infrastructure carbon footprint assertion of the New Infrastructure of West Coast Expressway from Badunliao to Jiukuaicuo for the 2014 of construction progressing has included the necessary items required in accordance with ISO/TS 14067:2013, including description of the infrastructure, inventory data, covered reporting period, infrastructure system boundary, etc. Also, additional useful information is available in the assertion, including construction progressing and quantity of emissions etc.

This quantification methodology takes into account of monitoring method and reliability of emission data as well as the precision of measurement equipment applied.

Sinotech has established a good system and plateform for data collection, therefore the data management system is good for data quality.

The findings from Document Review has been assessed in this verification, the result is as follows:

CARs Ref.	Description	Corrective Actions	Follow up
NA			

3.6 Commentary 評論

Nc Ref.	Description		
	Following observations raised form this assessment should be considered as the		
	opportunities for further improvement:		
	下列物料請確認是否須納入碳足跡盤查項目,		
OBS-IC01	(1)高架橋下部結構工程投入之填縫劑(甲.B.25)。		
	(2)高架橋下部結構工程之排水器(甲.B.26)。		
	101年1~11月先行施工估算之機具施工時數,清冊與系統資料不一致,係因查證		
OBS-CL01	後,仍有數據修正,為同步修正清冊,惟因排放量佔比僅佔全部排放量0.79%,但		
	其他標工程有類似情形發生時,請務必同步修正相關清冊與系統登錄資料。		

3.7 Notes To Client(NTCs) in this stage 本階段不符合事項

Area	NTC Ref.	Description	Clause
區域	不符合項參考號	描述	條款
WH77-A 標 PCF Inventory	NTC-IC01	下列活動數據與佐證資料不一致, (3) 橋面版工程投入之預力鋼腱(MA-A-05),材料運輸活動數據與盤查清冊(855.396 ton)不一致。 (4) 橋面版工程投入之隔護欄伸縮縫(MA-A-18-1 & MA-A-19-1), 104.2.16資料有誤植之狀況。 (5) 橋面版工程投入之MA-橋面伸縮縫保麗龍,實際活動數據應為16片,盤查清冊為8片。 (6) 護欄工程投入之金屬橋欄杆底座(MA-A-22-1),其單片重量應為12kg,與盤查清冊14.5kg不一致。 (7) 橋面版工程投入之MA-黏油(鴻林),數據統計計量單位有不一致的狀況(104.1.15以kg計量,其餘為桶數)。 (8) 橋面版工程投入之臨時鋼質支撐架基座處理(材料)(MA-A30),材料運輸活動數據與盤查清冊(102.785 ton)不一致。 (9) 基礎橋墩工程與基樁工程投入之竹節鋼筋(MA-B-07),材料運輸活動數據與盤查清冊(9,283.06 ton)不一致。	7.3
WH77-A 標 PCF Inventory	NTC-SK01	清册中,部分排放源活動數據與系統資料有不一致的情形: 1. MA-F-03碎石 (清册中為7148 M³,但系統中為4027.6 M³) 2. MA-I-02海雀稗(草毯) (清册中為30419 M²,但系統中佐證單據加總為28600 M²) 3. 瀝青透層(MA-F-4)、瀝青黏層(MA-F-5、MA-M-5)的佐證資料未能於系統中查到。	7.3
施工機具	NTC-CL01	102及103年機具施工有漏登或登錄之情形。	7.2

(Tab in final cell for additional rows)

3.8 Recommendations 建議

- 1. At this stage, the main recommendation is obviously to address the outstanding issues recorded in the table NTCs.
- 2. Progress has been established towards PCFV the year 2015 stage 1 in next year.
- 3. The organization plans to continue to make necessary corrective and preventive action for outstanding issue and to update source list / report in accordance with inventory before stage 2 verification.

3.9 Further comments

N/A

四、Stage 2 Initial Verification第二階段首次查證

第二階段首次查證 for WH77-A標工程(Y2015)

4.1 Conclusion 結論

After completing BSI infrastructure life cycle GHG emissions verification procedures, the following conclusions were drawn:

- 1. The corrective and preventive actions for outstanding issues are accepted.
- 2. Data quality was considered acceptable in meeting the principles as set out in ISO/TS 14067:2013.
- 3. The level of assurance for the infrastructure life cycle GHG emission inventory report is reasonable.

We are pleased to announce that the result of verification detailed in this report is Unqualified Opinion (無保留意見). It meets the relative specification and the GHG-related information disclose sufficient and appropriate.

As a result of carrying out verification procedures, BSI verification team will recommend to issue the verification statements as below:

As a result of carrying out the verification of infrastructure cycle greenhouse gas emissions, it is the opinion of BSI with reasonable assurance that:

- The infrastructure carbon footprint with the functional unit of Taiwan West Coast Expressway Ba Dong Liao to Jiu Kuai Chuo Section WH77- A (297K+300~298K+613) Yan Cheng Interchange Project (西濱快速公路八棟寮至九塊厝 WH77-A 標鹽埕交流道新建工程) is 71,453.53 tonnes of CO₂ equivalent.
- No material misstatements in this infrastructure life cycle greenhouse gas emission assertion were revealed.

The product life cycle GHG data quality was verified to be acceptable against the requirements of ISO/TS 14067:2013.

This statement shall be valid for a maximum period of two years after the latest issue date on this certificate. Should there be a change in the life cycle of the product whose GHG emissions are being assessed, the validity of this opinion statement will cease.

Product related information is as follows:

- System boundary for this infrastructure: Cradle to Grave
 The infrastructure system boundary is consistent with its system boundary definition in
 PCF report for infrastructure carbon footprint, which involves the acquisition of raw
 material, construction activities, transportation, use, disposal and treatment in the
 infrastructure life cycle.
- The data in this infrastructure life cycle greenhouse gas inventory report was from 31 January, 2012 to 10 May, 2015.
- The primary activity data include related construction activitie from its own processes under the operational control of the organization, and partial supplier including -HAI KWANG ENTERPRISE CORPORATION (海光企業股份有限公司)
- The secondary data include relative factors from public sources and LCA software Gabi 4.4.131.1.

Originally registered:

Latest Issue

Expired by: dd/10/2018

4.2 Verification Team 查證小組

On behalf of BSI the verification was conducted by:	The principal staff involved on behalf of
Lead Verifier: Ivan Cheng	the company were:
	Mr.周武雄/Mr.許佩蒨/Mr.林彥宇

4.3 Stage2 Initial Verification Plan 第二階段查證計畫(Prepared in accordance with ISO19011: 2002/14064-3: 2006)

PCFV Stage 2 Verification is 1 man day (on site 1 verification day)第二階段查證預計執行 1人天 The detail plan please refer to the attachment of S2 verification plan

詳細之查證規劃請參考第二階段的查證計畫

Date 日期	Time 時間	Assessor 稽核員	Area稽核內容	Clause(s) 條文
	09:00- 09:30	BSI Team	起始會議Opening Meeting	
Dece mber 3 & 4, 2015	09:30- 15:00	Team A	產品碳足跡盤查報告書及清冊 (含NTC結案)	ISO/TS 14067:2013 5. Principles 原則 6. Methodology for CFP quantification量化方法 7. CFP study report產品碳足跡研究報告 8. Preparation for publicly available CFP產品碳足跡公開的準備 9. CFP Communication產品碳足跡的溝通
	15:00- 16:00	BSI Team	稽核小組討論和準備報告 Assessor Review and Report Preparation	
	16:00- 16:30	BSI Team	結束會議 Closing Meeting	
	12:00- 13:00		Lunch午餐	

4.4 Inventory Summary 盤查彙整

The content in this inventory was prepared based on its Inventory list and PCF report (dated December 12, 2015) for ISO/TS 14067:2013; therefore it is also consistent to its two PCF reports. The product life cycle GHG emissions are as the following, and they are validated as correct.

Data quality was considered acceptable in accordance with the principles as set out in ISO/TS 14067:2013; 數據品質符ISO/TS 14067:2013要求.

The product carbon footprint in different life cycle stages in accordance to ISO/TS 14067:2013, their emission distributions are as follows:

產品名	排放量 Tonnes CO ₂ -e
Taiwan West Coast Expressway Ba Dong Liao to Jiu Kuai Chuo	71,453.53

表 3.4.1-1 WH77-A 標碳足跡彙整與一級數據比例分析

類別		總量	一級	二級
	項目	-	鋼筋(鋼胚/鋼筋製程)、 混凝土製程	其他工程材料
原物料	排碳量	60,889.79	11,754.76	49,115.03
	占比	85.23%	16.45%	68.78%
	項目	-	竹節鋼筋、 預拌混凝土運輸	其他工程材料與機具運輸
運輸	排碳量	1,711.18	1,152.75	558.43
	占比	2.39%	1.61%	0.78%
施工階段	項目	-	常駐工區機具之汽/柴油及 電力消耗	非常駐工區機具之操作時 數轉換耗能;人員逸散
(工區)	排碳量	1,732.99	1,621.59	111.41
	占比	2.43%	2.27%	0.16%
施工階段	項目		辦公室用電、用水、公務車 用油	天然氣、冷媒及人員逸散
(管理)	排碳量	366.25	323.79	42.46
	占比	0.51%	0.45%	0.06%
	項目	•		工區廢棄物及承包商、主管 機關、監造生活廢棄物
廢棄物	排碳量	54.84	-	54.84
	占比	0.08%	-	0.08%
營運管理階 段	項目	-	-	養護工程材料、機具耗能 與營運期間照明耗能
	排碳量	6,888.48	-	6,888.48
	占比	9.36%		9.36%
宣告單位總計		71 450 FO	<u>14,852.88</u>	<u>56,600.63</u>
<u>(tonCO₂e)</u>		71,453.53	<u>20.79%</u>	<u>79.21%</u>

4.5 Summary of findings from these investigations

A correction plan for the findings of site visit was submitted to BSI for review and had been accepted.

The materiality assessment and strategic review documents were updated during the verification to take into account of sufficient evidence provided by the client.

4.6 Commentary 評論

Nc Ref.	Description
	Following observations raised form this assessment should be considered as
	the opportunities for further improvement:
N/A	

4.7 Notes To Client(NTCs) in this stage 本階段不符合事項

Area	NTC Ref.	Description	Clause
區域	不符合項參考號	描述	條款
N/A			

(Tab in final cell for additional rows)

4.7 The Follow-up of Notes To Customer(NTCs) 不符合項追蹤說明

CARs Ref.	Description	Corrective Actions	Follow
NTC-IC01	下列活動數據與佐證資料不一致, (1) 橋面版工程投入之預力網腱(MA-A-05), 材料運輸活動數據與盤查清冊(855.396 ton)不一致。 (2) 橋面版工程投入之隔護欄伸縮縫 (MA-A-18-1 & MA-A-19-1), 104.2.16資料 有誤植之狀況。 (3) 橋面版工程投入之MA-橋面伸縮縫保麗 龍,實際活動數據應為16片,盤查清冊為8 片。 (4) 護欄工程投入之金屬橋欄杆底座 (MA-A-22-1),其單片重量應為12kg,與盤 查清冊14.5kg不一致。 (5) 橋面版工程投入之MA-黏油(鴻林),數據統 計計量單位有不一致的狀況(104.1.15以 kg計量,其餘為桶數)。 (6) 橋面版工程投入之臨時鋼質支撐架基座處 理(材料)(MA-A30),材料運輸活動數據與 盤查清冊(102.785 ton)不一致。 (7) 基礎橋墩工程與基樁工程投入之竹節鋼筋 (MA-B-07),材料運輸活動數據與盤查清 冊(9,283.06 ton)不一致。	活動數據已修正	Closed
NTC-SK01	清冊中,部分排放源活動數據與系統資料有不一致的情形: 1. MA-F-03碎石 (清冊中為7148 M³,但系統中為4027.6 M³) 2. MA-I-02海雀稗(草毯) (清冊中為30419 M²,但系統中佐證單據加總為28600 M²) 3. 瀝青透層(MA-F-4)、瀝青黏層(MA-F-5、MA-M-5)的佐證資料未能於系統中查到。	活動數據已修正	Closed
NTC-CL01	102及103年機具施工有漏登或登錄之情形。	活動數據已修正	Closed

(Tab in final cell for additional rows)

4.8 Recommendations 建議

- 1. At this stage, the main recommendation is obviously to address the outstanding issues recorded in the table NTCs.
- 2. It is beneficial for the client to quantify its uncertainty of GHG inventory to meet potential intended users in the future.

4.9 Further comments

N/A

五、Processes/Business Areas verified 查證的流程/業務區域

Refer to assessment summary table for ISO/TS 14067.

			Business Area /			
		Proc				
_	Requirement	DR	S1	S2		0/3/0
5	Principles	*	*			
5.1	General	*	*			
5.2	Life cycle perspective	*	*			
5.3	Relative approach and functional unit	*	*			
5.4	Iterative approach	*	*			
5.5	Scientific approach	*	*			
5.6	Relevance	*	*			
5.7	Completeness	*	*	*		
5.8	Consistency.	*	*	*		
5.9	Coherence	*	*	*		
5.10	Accuracy	*	*	*		
5.11	Transparency					
5.12	Avoidance of double-counting	*	*	*		
5.13	Participation	*	*	*		
5.14	Fairness	*	*	*		
6	Methodology for CFP quantification					
6.1	General		*	*		
6.2	Use of CFP-PCR		*	*		
6.3	Goal and scope of the CFP quantification		*	*		3
6.4	Life cycle inventory analysis for the CFP		*	*		
6.5	Life cycle impact assessment		*	*		
6.6	Life cycle interpretation		*	*		
7	CFP study report	*	*	*		
8	Preparation for publicly available CFP communication					
8.1	General	*	*	*		
8.2	CFP disclosure report.	*	*	*		
9	CFP communication					
9.1	Options for CFP communication	*				
9.2	CFP communication intended to be publicly available		*	*		
9.3	CFP communication not intended to be publicly available				1 1	
9.4	CFP communication programme				1 1	
9.5	Creation of CFP-PCR				1 1	
9.6	Additional aspects for CFP communication		1		1 1	
	1	1	1		1 1	
Legen	d- Business Areas / Process Assessed					
<u>=одон</u> А	NTCs and corrective and preventive actions review as desc	ribed i	n prev	ious cl	ause	S.
B	NTCs and corrective and preventive actions review as described in previous clauses					
	The second and proventive detection at the de-		۲. σ.		2200	-
Vote						

Verification Details 查證資料

SMO Number	DR-8108517	
報告號碼:	8298356	
	8406400	
	S1-8108519/8108521/8281550/8281551/8406401	
	S2-8406402	
Verification Start Date	DR-February 17, 21, 2014	
查證開始日期:	March 8, 2015	
	October 24, 2015	
	S1-March 3-4, 2014	
	March 14, 2014	
	March 9-10, 2015	
	March 19, 2015	
	November 04, 2015	
	S2-December 03 & 04, 2015	
Visit Type	ISO/TS 14067:2013	
查證種類:	130/13 14007.2013	
Number of Man-day	DR-3 man day (off site)	
總人夭數:	S1-16 man days (on site)	
	S2-2 man days (on site)	
Customer Service Officer <u>if known</u> 客戶服務專員:	Chien Yun (Nell) Wang	

Location Details 地點資料

Mandatory (English)	
必選項 (英文)	
BSI Reference BSI 多考號	WEST C-0047461596-000
Company Name & Address 公司名稱及地址 (商號)	West Coast Expressway Southern Region Temporary Engineering Office, Directorate General of Highways, Ministry of Transportation and Communications. 5F, No. 29, Puzi 7th Rd. Puzi City Chiayi County Taiwan
Contact Name 客戶聯絡姓名	林彦宇 博士
Telephone Number 客戶聯絡電話	+886-2-27698388
Fax Number 客戶聯絡傳真	+886-2-87611589
e-mail Address 客戶聯絡電郵地址	yenyul@mail.sinotech.com.tw
Best Fit Code – T Codes: 技術代碼	Т03
Local Accreditation Coding Classification: 驗證範圍代碼表	
Best Fit Code – S Codes: 專業代碼	
Location Client Manager: 地點客戶經理	
Optional (Chinese) 可選項(中文)	,

Company Name & Address	交通部公路總局西部濱海公路南區臨時工程處
公司名稱及地址 (商號)	臺灣嘉義縣朴子市朴子七路29號
Contact Name	11. 文户 1岩 1
客戶聯絡姓名	林彦宇 博士
Change to this section?	
更改此部分	
Comments or additional actions:	
評語或額外行動	
Billing Details 帳務資料	
Mandatory (English)	
必選項(英文)	
Company Name & Address 公司名稱及地址	West Coast Expressway Southern Region
公司石榴及地址	Temporary Engineering Office, Directorate General of Highways, Ministry of Transportation and
	Communications.
	5F, No. 29, Puzi 7th Rd. Puzi City Chiayi County
	Taiwan
Billing Contact	1. 文户
聯絡人	林彦宇 博士
Billing Telephone Number	+886-2-27698388
電話號碼	+000-2-27090300
Billing Fax Number	+886-2-87611589
傳真號碼	1000 2 07011303
Billing E-mail	yenyul@mail.sinotech.com.tw
電郵地址	7-11-11-11-11-11-11-11-11-11-11-11-11-11
Optional (Chinese)	
可選項(中文) Company Name & Address	六字如八叻偏口正如穷冶八叻 + 后昨时十旬岁
公司名稱及地址	交通部公路總局西部濱海公路南區臨時工程處
Billing Contact	臺灣嘉義縣朴子市朴子七路29號
聯絡人	林彦宇 博士
Mandatory (English)	
必選項 (英文)	
Change to this section?	П
更改此部分	
Comments or additional actions:	
評語或額外行動	
Certification Details 證書資料	
Mandatory (English)	
必選項 (英文)	
Certificate Number	CFPV 094-1~4
證書號碼	
Certificate Issue Date	N/A
發證日期	
Last Re-issue Date	N/A
最近一次發證日期	
Expiry Date	N/A
有效日期	

ISO/TS 14067:2013

Confirmation of Report Content 報告確認

The document review of the New Infrastructure of the West Coast Expressway from Badunliao to Jiukuaicuo managed by West Coast Expressway Southern Region Temporary Engineering Office was completed.


本次對 貴組織所管理的西濱快速道路八棟寮至九塊厝所進行之文件審查業已完成。

Please sign below confirming acceptance of the Verification reports contents (Report number/s): 請簽署確認同意報告(編號)中的內容:

8406400

Signed for on behalf of BSI	Signed for on behalf of the client
BSI 代表簽署	客戶代表簽署

Chung-Kai (Ivan) Cheng



October 24, 2015

Z 1

SMO	Functional Location	SAP Material	
8406400	WEST C-0047461596-000	200594690	

Confirmation of Report Content 報告確認

The stage 1 of the fisrt review from November 2012 to May 2015 for the New Infrastructure of the West Coast Expressway from Badunliao to Jiukuaicuo managed by West Coast Expressway Southern Region Temporary Engineering Office was completed.


本次對 貴組織所管理的西濱快速道路八棟寮至九塊厝所進行之第一階段審查業已完成。

Please sign below confirming acceptance of the Verification reports contents (Report number/s): 請簽署確認同意報告(編號)中的內容:

8406401

Signed for on behalf of BSI	Signed for on behalf of the client
BSI 代表簽署	客戶代表簽署
Chung Kai (luan) Chang	

Chung-Kai (Ivan) Cheng



November 04, 2015

Z 1

SMO	Functional Location	SAP Material
8406401	WEST C-0047461596-000	200594690

Confirmation of Report Content 報告確認


The stage 2 of the fisrt review from November 2012 to May 2015 for the New Infrastructure of the West Coast Expressway from Badunliao to Jiukuaicuo managed by West Coast Expressway Southern Region Temporary Engineering Office was completed.

本次對 貴組織所管理的西濱快速道路八棟寮至九塊厝所進行之第二階段審查業已完成。

Please sign below confirming acceptance of the Verification reports contents (Report number/s): 請簽署確認同意報告(編號)中的內容:

8406402

Signed for on behalf of BSI	Signed for on behalf of the client
BSI 代表簽署	客戶代表簽署
Chung-Kai (Ivan) Cheng	



December 04, 2015

Z 1

SMO	Functional Location	SAP Material
8406402	WEST C-0047461596-000	200594690