高雄市區監理所委託汽車代檢廠

登檢室公布欄及各項檢驗合格標準雙語化標示牌規範

112年6月26日訂定 112年8月25日修訂規範名稱

登檢應備證件

- 、牌照登記書(除營業車輛所 有人申請應備外,餘各類車輛 免)。
- 二、行車執照。
- 三、強制汽車責任保險保險證 (有效期間應滿30日以上)
- 四、檢驗費:
 - 1. 大型車新台幣600元。
 - 2. 小型車新台幣450元(10年以 上自用小客車、自用小客貨4.Inspection Fee: 車,當年度第2次新台幣300 元)。
 - 3. 拖車新台幣450元。
 - 4. 大型重型機車新台幣200元。
- 五、不依限期參加定期檢驗者, 處汽車所有人新台幣900元以 上1800元以下罰鍰。
- 六、定期檢驗不合格車輛在7日內 覆驗免收費1次,第8日起覆驗 應收覆驗費。

Required Documents for

- 1.New License Plate Registration Form (Only owner of the commercial vehicle previously registered is required; other types of vehicles exempt)
- 2.Motor License
- 3. Compulsory Automobile Liability Insurance Card (with a Validity more than 30 Days
- - 1. Large Vehicles: NT\$600
 - 2. Small Vehicles: NT\$450(The second inspection of the year for small vehicles manufactured more than 10 **years**: NT\$300)
 - **3. Trailers** : NT\$450
 - 4. Large heavy motorcycle: NT\$200
- 5. Vehicles fail to undergo regular inspections within the specified time limit, owners shall be liable for a penalty of NT\$900 to NT\$1,800.
- 6. Vehicles failing to pass the regular inspection and undergoing the re-inspection within 7 days are exempt from inspection fees for one time.

煞車試驗測試合格標準

- 一、腳煞車
 - 1. 總效能:大型車應逾車重50%以上。

小型車應逾車重50%以上。

2. 平衡度:每軸左、右兩輪之煞車力,兩者相差不得超過30%。

二、手煞車效能:應逾車重16%以上。

Braking Test Standard

- 1. Foot brake
 - A. Total efficiency:

For large vehicle, the braking power should be more than 50% of the vehicle weight .

For small vehicles, the braking power should be more than 50% of the vehicle weight .

B.Equilibration:

The variation of brake force of each axle between the right wheels and the left ones shall not exceed 30%.

2. Efficiency of hand brake:It shall be more than 16% of the vehicle weight.

前輪側滑試驗測試合格標準

偏滑度不超過每公里±5.0公尺

Front-Wheel Side Slip Test Standard

Side slip reading range should be within ±5.0 meters per kilometer.

排放空氣污染物測驗合格標準

Vehicular Air Pollutant Emission Standard

出廠年月 Ex-factory year/ month	汽油車廢氣合格標準 Exhaust emission standard for gasoline engine			
	CO (%)	HC (PPM)	CO2(%)	02(%)
1990年6月30日止 Before June 30, 1990	≦4. 5	≤ 1200	≥9	≦ 9
1990年7月1日起1992年7月31日止 From July 1, 1990 to July 31, 1992	≦3. 5	≦900	≥9	≦ 9
1992年8月1日起 Starting from August 1, 1992	≤ 1.2	≤220	≥9	≦ 9
出廠年月 Ex-factory year/ month	柴油車排煙污染度合格標準 Exhaust emission standard for diesel engine			
1993年6月30 止 Before June 30, 1993	50%以下 Below50%			
1993年7月1日起1999年6月30日止 From July 1, 1993 to June 30, 1999	40%以下 Below40%			
1999年7月1起2006年12月31日止 From July 1, 1999 to December 31, 2006	35%以下 Below35%			
2007年1月1起 2011年12月31日止 From January 1, 2007 to December 31, 2011	30%以下 Below30%			
2012年1月1日起 Starting from January 1, 2012	20%以下 Below20%			

底盤檢驗合格標準

轉向系統、傳動系統、懸吊系統、輪胎、避震器、消音器、排氣管、防止捲入裝置等均完好並符合道路交通安全規則第39條之1規定。

Chassis Inspection Standard

Steering system, transmission system, suspension system, tire, shock absorber, muffler, exhaust pipe and the vehicle anti-drag device are in good conditions and conform to the Article 39–1 of Road Traffic Safety Rules.

目視一般檢驗合格標準

引擎或車身號碼、號牌、車身式樣、顏色、規格、標識、照後鏡、安全門、車窗、座位、安全帶、滅火器、故障標誌、各項燈光等均符合道路交通安全規則第39條之1規定。

Visual inspection standard

Engine or chassis number, license plate, vehicle type, color, specification, signs and marks, rear-view mirror, emergency exit, windows, seats, safety belt, fire extinguisher, breakdown warning sign and all lights should conform to the Article 39–1 of Road Traffic Safety Rules.

大型重型機車試驗測試及檢驗合格標準

- 一、前後輪煞車效能:應逾車重60%以上。
- 二、前後輪左右偏差度:±1.0公分。
- 三、目視一般檢驗:引擎或車身號碼、號牌、顏色、規格、照後 鏡、各項燈光等均符合道路交通安全規則第39條之2規定。

Large heavy motocycle Test Standard

- 1.Braking Test Standard: Total efficiency more than 60% of the vehicle weight.
- 2. Front and back wheel alinement deviation ±1.0 cm.
- 3.Engine or chassis number, license plate, color, specification, rearview mirror, and all lights should conform to the Article 39–2 of Road Traffic Safety Rules.